

Aktivstoffer brugt i liljeavl i Holland - afstandskrav til beboelser 250 m (Dutch Court of Appeal referring to Sustainable Use of pesticides Directive)

	Aktivstoffer brugt på Ærø markeret	Pesticid product name(s)	Afstandskrav til beboelser i Danmark (8 april 2025)	Health hazards (PAN Europe, PPDB)
insecticider	Acetamidprid	Mospilan SG	2 meter	High alert: Neurotoxic to humans, especially dangerous for the unborn and young children.
	Clofentezin			
	Deltamethrin			
	Esfenvaleraat			
	Flonicamid	Teppeki	Ingen oplysninger	Moderate: Mammals acute and chronic toxicity; Possible Carcinogen; Reproduction/develo
	Flupyradifuron			
	Imidacloprid			
	Lambda-cyhalothrin	Kaiso Sorbie, Lamdex	Ingen oplysninger, Ingen afstandskrav.	High alert: Acutely toxic in short term exposure. Very neurotoxic: bystanders are advised to k
	Oxamyl			
	Paraffine olie			
	Pirimicarb	Pirimor 500 WG	Ingen afstandskrav.	High alert, reproduction/development, acetyl cholinesterase inhibitor, neurotoxic, suspect
	Pymetrozine			
Herbicider	Spirotetramat			
	Sulfoxaflor			
	Thiacloprid	Biscaya OD 240	Ingen oplysninger. Forbudt fra 1 jan. 2021	High alert: Mammals chronic toxicity; Endocrine disrupter; Reproduction/development effec
	Asulam	Asulox	20 meter. Forbudt fra 5. jul. 2024	High alert: Reproduction/development effects, Endocrine disrupting pesticide
	Chloorprofam			
	Chloridazon			
	Clethodim			
	Cycloxydim	Focus Ultra	2 meter	Moderate: Mammals chronic toxicity; Reproduction/development effects
	Dimethenamide-P			
	Fluazifop-P-butyl			
	Fluroxypyr	Pixxaro EC, Starane 333 HL	Ingen afstandskrav.	High alert: Neurotoxicant
	Glufofinaat-ammonium			
	Glyfosaat	Glyphomax 48 HL, 480 HL, SL, etc.	2 meter	High alert: Genotoxic, carcinogen, endocrine disrupter, reproduction/development effects,
	Linuron			
	MCPA	Metaxon, U46M	Ingen oplysninger	Moderate: Mammals acute toxicity; Genotoxic; Reproduction/development effects, Parkins
	Metamitron	Starship Max, Tocalis	2 meter	High alert, endocrine disrupter (thyroid), reproduction/development, neurotox
	Metobromuron	Proman	10 meter. Forbudt fra 1. august 2024	High alert, carcinogen
	Pendimethalin	Stomp CS	2 meter	High alert: Toxic to reproduction ("R2" classified). Thyroid effects. Chromosome aberrations
Fungicider	Quinmerac			
	S-metolachloor			
	Azoxystrobin	Amistar, Mirador	2 meter	Moderate: Genotoxic, Reproduction/development effects, Eye irritant
	Boscalid	Cantus, Entargo, Pictor Active, Sonis	2 meter	Moderate: Reproduction/development effects, Carcinogenic
	Captan			
	Chloorthalonil			
	Fluopyram	Propulse SE 250	5 meter	High alert, reproduction/development, neurotox
	Folpet			
	Fosthiazat			
	Kresoxim-methyl			
	Mancozeb			
	Maneb	Manacol flydende, Maneb NA	Ingen oplysninger. Forbudt fra 14. juni 2011	Moderate: Possible Carcinogen; Endocrine disrupter; Reproduction/development effects, P
	Mepanipyrim			
	Prochloraz			
	Prothioconazool	Proline EC250, Propulse SE 250	5 meter	High alert, reproduction/development, neurotox
	Pyraclostrobine	Balaya, Comet Pro, Pictor Active, Sonis	2 meter	High alert, reproduction/development, neurotox
	Tebuconazool	Orius Gold, Proline Xpert EC240, Folicur Xpert EC240	Ingen afstandskrav.	High alert, endocrine disrupter, reproduction/development, eye irritant
	Thiofanaat-methyl			
	Trifloxystrobin			

ment effects, PFAS-pesticide

Keep a 10-meter distance from spraying. Independent studies suggest interactions of lambda-cyhalothrin with receptors of the endocrine and immune systems. PFAS-pesticide and Toxic 12

ted carcinogenic. Toxic-12

cts; Neurotoxicant, Reprotoxic

damage to the gut microbiome, Parkinson

on

. Developmental effects. Endocrine disruptor

arkinson